

第 1 条，共 1 条

标题: Optimization of Cold Pressing Process Parameters of Chopped Corn Straws for Fuel
作者: Chen, TY (Chen, Tianyou); Jia, HL (Jia, Honglei); Zhang, SW (Zhang, Shengwei); Sun, XM (Sun, Xumin); Song, YQ (Song, Yuqiu); Yuan, HF (Yuan, Hongfang)
来源出版物: ENERGIES 卷: 13 期: 3 文献号: 652 DOI: 10.3390/en13030652 出版年: FEB 2020
Web of Science 核心合集中的 "被引频次": 0
被引频次合计: 0
使用次数 (最近 180 天): 2
使用次数 (2013 年至今): 6
引用的参考文献数: 76

摘要: Pressed condensation is a key process before the reclamation of loose corn straws. In this study, the effects of stabilization time on the relaxation density and dimensional stability of corn straws were studied firstly, and then the stabilization time was determined to be 60 s by comprehensively considering the compression effect, energy consumption, efficiency and significance. On this basis, the effects of the water content (12%, 15%, 18%), ratio of pressure maintenance time to stabilization time (0, 0.5, 1), maximum compression stress (60.4, 120.8, 181.2 kPa) and feeding mass (2.5, 3, 3.5 kg) on the relaxation density, dimensional stability coefficient, and specific energy consumption of post-compression straw blocks were investigated by the Box-Behnken design. It was found that the water content, ratio of pressure maintenance time to stabilization time, maximum compression stress, and feeding mass all very significantly affected the relaxation density, dimensional stability coefficient and specific energy consumption. The interaction between water content and maximum compression stress significantly affected both relaxation density and specific energy consumption. The interaction between the ratio of pressure maintenance time to stabilization time and feeding mass significantly affected the dimensional stability coefficient. The factors and the indices were regressed by quadratic equations, with the coefficients of determination larger than 0.97 in all equations. The optimized process parameters were water content of 13.63%, pressure maintenance time of 22.8 s, strain maintenance time of 37.2 s, maximum compression stress of 109.58 kPa, and raw material feeding mass of 3.5 kg. Under these conditions, the relaxation density of cold-pressed straw blocks was 145.63 kg/m(3), the dimensional stability coefficient was 86.89%, and specific energy consumption was 245.78 J/kg. The errors between test results and predicted results were less than 2%. The low calorific value of cold-pressed chopped corn straw blocks was 12.8 MJ/kg. Through the situational analysis method based on the internal and external competition environments and competition conditions (SWOT analysis method), the cold-pressed chopped corn straw blocks consumed the lowest forming energy consumption than other forming methods and, thus, are feasible for heating by farmers. Our findings may provide a reference for corn straw bundling, cold-press forming processes and straw bale re-compressing.

入藏号: WOS:000522489000145
语言: English
文献类型: Article
作者关键词: chopped corn straws; relaxation density; dimensional stability coefficient; specific energy consumption; optimization; fuel
KeyWords Plus: WHEAT-STRAW; ENERGY REQUIREMENT; MOISTURE-CONTENT; COMPRESSION CHARACTERISTICS; DENSIFICATION PARAMETERS; MECHANICAL-PROPERTIES; RELAXATION BEHAVIOR; SEWAGE-SLUDGE; BIOMASS; PELLETS
地址: [Chen, Tianyou; Jia, Honglei; Zhang, Shengwei; Sun, Xumin; Yuan, Hongfang] Jilin Univ, Sch Biol & Agr Engrn, Changchun 130022, Peoples R China. [Jia, Honglei] Jilin Univ, Key Lab Bion Engrn, Minist Educ, Changchun 130022, Peoples R China. [Song, Yuqiu] Shenyang Agr Univ, Coll Engrn, Shenyang 110866, Peoples R China.
通讯作者地址: Yuan, HF (通讯作者), Jilin Univ, Sch Biol & Agr Engrn, Changchun 130022, Peoples R China.
电子邮件地址: tychen18@mails.jlu.edu.cn; jiahl@jlu.edu.cn; swzhang18@mails.jlu.edu.cn; sunxm19@mails.jlu.edu.cn; songyuqiusyau@sina.com; yuanhongfang@jlu.edu.cn
出版商: MDPI
出版商地址: ST ALBAN-ANLAGE 66, CH-4052 BASEL, SWITZERLAND
Web of Science 类别: Energy & Fuels
研究方向: Energy & Fuels
IDS 号: KY3RQ
eISSN: 1996-1073
29 字符的来源出版物名称缩写: ENERGIES
ISO 来源出版物缩写: Energies
来源出版物页码计数: 21

基金资助致谢:

基金资助机构	授权号
National Natural Science Foundation of China	51705191
National Key Research and Development Program of China	2018YFD0701102
Science and Nature Foundation of Jilin province	20180101090JC

The authors gratefully acknowledge the financial support from the National Natural Science Foundation of China (Grant No.: 51705191), the National Key Research and Development Program of China (Grant No.: 2018YFD0701102) and Science and Nature Foundation of Jilin province (Grant No.: 20180101090JC).

开放获取: DOAJ Gold, Green Published
输出日期: 2021-03-09

